

Goldpress 4

hot stamping machine

Goldpress 4 Specifications

Voltage	110-120V 50-60 Hz
Max. power consumption	250 W
Rated power consumption	50 W
Dimensions (machine)	21.5 x 14.2 x 10.9 in
Temperature adjustment range	122 - 302°F
Operating Temperature	212 °F, 100 °C
Temperature Stabilization	microprocessor
Max cover width with the side stop	10.4 inches
Max cover width without the side stop	12 inches
<ul style="list-style-type: none"> • Electronic operating panel • O-Foil cutter • Drawer to store all accessories • O-Container to store fonts 	




The Goldpress 4 is a compact and easy to use hot stamping machine.

Recommended for embossing custom photo book covers, such as the HD Mini Photo Book.



The HD Mini Photo Book



Express Imaging Systems, LLC
624 Rainier Ave South
Seattle, WA 98144
phone: 206-720-1798 x 115
sales@express-imaging.com



The PhotoIntel Group
The Old Rectory
Glenfield Business Centre
Main Street
Glenfield, Leicester
UK, LE3 8DG
phone: 44 116 2325169
sales@photointelgroup.com

The specifications, information and the appearance of the Goldpress are subject to change without notice. All trademarks are the property of their respective owners.

www.express-imaging.com



v 03/09

Goldpress 4

hot stamping machine

Goldpress 4 Specifications

Voltage	110-120V 50-60 Hz
Max. power consumption	250 W
Rated power consumption	50 W
Dimensions (machine)	21.5 x 14.2 x 10.9 in
Temperature adjustment range	122 - 302°F
Operating Temperature	212 °F, 100 °C
Temperature Stabilization	microprocessor
Max cover width with the side stop	10.4 inches
Max cover width without the side stop	12 inches
<ul style="list-style-type: none"> • Electronic operating panel • O-Foil cutter • Drawer to store all accessories • O-Container to store fonts 	




The Goldpress 4 is a compact and easy to use hot stamping machine.

Recommended for embossing custom photo book covers, such as the HD Mini Photo Book.



The HD Mini Photo Book



Express Imaging Systems, LLC
624 Rainier Ave South
Seattle, WA 98144
phone: 206-720-1798 x 115
sales@express-imaging.com



The PhotoIntel Group
The Old Rectory
Glenfield Business Centre
Main Street
Glenfield, Leicester
UK, LE3 8DG
phone: 44 116 2325169
sales@photointelgroup.com

The specifications, information and the appearance of the Goldpress are subject to change without notice. All trademarks are the property of their respective owners.

www.express-imaging.com



v 03/09

Goldpress 4

hot stamping machine

Goldpress 4 Specifications

Voltage	110-120V 50-60 Hz
Max. power consumption	250 W
Rated power consumption	50 W
Dimensions (machine)	21.5 x 14.2 x 10.9 in
Temperature adjustment range	122 - 302°F
Operating Temperature	212 °F, 100 °C
Temperature Stabilization	microprocessor
Max cover width with the side stop	10.4 inches
Max cover width without the side stop	12 inches
<ul style="list-style-type: none"> • Electronic operating panel • O-Foil cutter • Drawer to store all accessories • O-Container to store fonts 	




The Goldpress 4 is a compact and easy to use hot stamping machine.

Recommended for embossing custom photo book covers, such as the HD Mini Photo Book.



The HD Mini Photo Book



Express Imaging Systems, LLC
624 Rainier Ave South
Seattle, WA 98144
phone: 206-720-1798 x 115
sales@express-imaging.com



The PhotoIntel Group
The Old Rectory
Glenfield Business Centre
Main Street
Glenfield, Leicester
UK, LE3 8DG
phone: 44 116 2325169
sales@photointelgroup.com

The specifications, information and the appearance of the Goldpress are subject to change without notice. All trademarks are the property of their respective owners.

www.express-imaging.com



v 03/09

Goldpress 4

hot stamping machine

Goldpress 4 Specifications

Voltage	110-120V 50-60 Hz
Max. power consumption	250 W
Rated power consumption	50 W
Dimensions (machine)	21.5 x 14.2 x 10.9 in
Temperature adjustment range	122 - 302°F
Operating Temperature	212 °F, 100 °C
Temperature Stabilization	microprocessor
Max cover width with the side stop	10.4 inches
Max cover width without the side stop	12 inches
<ul style="list-style-type: none"> • Electronic operating panel • O-Foil cutter • Drawer to store all accessories • O-Container to store fonts 	




The Goldpress 4 is a compact and easy to use hot stamping machine.

Recommended for embossing custom photo book covers, such as the HD Mini Photo Book.



The HD Mini Photo Book



Express Imaging Systems, LLC
624 Rainier Ave South
Seattle, WA 98144
phone: 206-720-1798 x 115
sales@express-imaging.com



The PhotoIntel Group
The Old Rectory
Glenfield Business Centre
Main Street
Glenfield, Leicester
UK, LE3 8DG
phone: 44 116 2325169
sales@photointelgroup.com

The specifications, information and the appearance of the Goldpress are subject to change without notice. All trademarks are the property of their respective owners.

www.express-imaging.com



v 03/09

Goldpress 4

hot stamping machine

Goldpress 4 Specifications

Voltage	110-120V 50-60 Hz
Max. power consumption	250 W
Rated power consumption	50 W
Dimensions (machine)	21.5 x 14.2 x 10.9 in
Temperature adjustment range	122 - 302°F
Operating Temperature	212 °F, 100 °C
Temperature Stabilization	microprocessor
Max cover width with the side stop	10.4 inches
Max cover width without the side stop	12 inches
<ul style="list-style-type: none"> • Electronic operating panel • O-Foil cutter • Drawer to store all accessories • O-Container to store fonts 	




The Goldpress 4 is a compact and easy to use hot stamping machine.

Recommended for embossing custom photo book covers, such as the HD Mini Photo Book.



The HD Mini Photo Book



Express Imaging Systems, LLC
624 Rainier Ave South
Seattle, WA 98144
phone: 206-720-1798 x 115
sales@express-imaging.com



The PhotoIntel Group
The Old Rectory
Glenfield Business Centre
Main Street
Glenfield, Leicester
UK, LE3 8DG
phone: 44 116 2325169
sales@photointelgroup.com

The specifications, information and the appearance of the Goldpress are subject to change without notice. All trademarks are the property of their respective owners.

www.express-imaging.com



v 03/09

Goldpress 4

hot stamping machine

Goldpress 4 Specifications

Voltage	110-120V 50-60 Hz
Max. power consumption	250 W
Rated power consumption	50 W
Dimensions (machine)	21.5 x 14.2 x 10.9 in
Temperature adjustment range	122 - 302°F
Operating Temperature	212 °F, 100 °C
Temperature Stabilization	microprocessor
Max cover width with the side stop	10.4 inches
Max cover width without the side stop	12 inches
<ul style="list-style-type: none">• Electronic operating panel• O-Foil cutter• Drawer to store all accessories• O-Container to store fonts	




The Goldpress 4 is a compact and easy to use hot stamping machine.

Recommended for embossing custom photo book covers, such as the HD Mini Photo Book.



The HD Mini Photo Book



The specifications, information and the appearance of the Goldpress are subject to change without notice. All trademarks are the property of their respective owners.

www.express-imaging.com

Express Imaging Systems, LLC
624 Rainier Ave South
Seattle, WA 98144
phone: 206-720-1798 x 115
sales@express-imaging.com



The PhotoIntel Group
The Old Rectory
Glenfield Business Centre
Main Street
Glenfield, Leicester
UK, LE3 8DG
phone: 44 116 2325169
sales@photointelgroup.com



v 03/09

Goldpress 4

hot stamping machine

Goldpress 4


Specifications

Voltage	110-120V 50-60 Hz
Max. power consumption	250 W
Rated power consumption	50 W
Dimensions (machine)	21.5 x 14.2 x 10.9 in
Temperature adjustment range	122 - 302°F
Operating Temperature	212 °F, 100 °C
Temperature Stabilization	microprocessor
Max cover width with the side stop	10.4 inches
Max cover width without the side stop	12 inches
<ul style="list-style-type: none">• Electronic operating panel• O-Foil cutter• Drawer to store all accessories• O-Container to store fonts	




The Goldpress 4 is a compact and easy to use hot stamping machine.

Recommended for embossing custom photo book covers, such as the HD Mini Photo Book.



The HD Mini Photo Book



The specifications, information and the appearance of the Goldpress are subject to change without notice. All trademarks are the property of their respective owners.

www.express-imaging.com

Express Imaging Systems, LLC
624 Rainier Ave South
Seattle, WA 98144
phone: 206-720-1798 x 115
sales@express-imaging.com



The PhotoIntel Group
The Old Rectory
Glenfield Business Centre
Main Street
Glenfield, Leicester
UK, LE3 8DG
phone: 44 116 2325169
sales@photointelgroup.com



v 03/09

Goldpress 4

hot stamping machine


Goldpress 4 Specifications

Voltage	110-120V 50-60 Hz
Max. power consumption	250 W
Rated power consumption	50 W
Dimensions (machine)	21.5 x 14.2 x 10.9 in
Temperature adjustment range	122 - 302°F
Operating Temperature	212 °F, 100 °C
Temperature Stabilization	microprocessor
Max cover width with the side stop	10.4 inches
Max cover width without the side stop	12 inches
<ul style="list-style-type: none"> • Electronic operating panel • O-Foil cutter • Drawer to store all accessories • O-Container to store fonts 	




The Goldpress 4 is a compact and easy to use hot stamping machine.

Recommended for embossing custom photo book covers, such as the HD Mini Photo Book.



The HD Mini Photo Book



Express Imaging Systems, LLC
624 Rainier Ave South
Seattle, WA 98144
phone: 206-720-1798 x 115
sales@express-imaging.com



The PhotoIntel Group
The Old Rectory
Glenfield Business Centre
Main Street
Glenfield, Leicester
UK, LE3 8DG
phone: 44 116 2325169
sales@photointelgroup.com

The specifications, information and the appearance of the Goldpress are subject to change without notice. All trademarks are the property of their respective owners.

www.express-imaging.com



v 03/09

Goldpress 4

hot stamping machine


Goldpress 4 Specifications

Voltage	110-120V 50-60 Hz
Max. power consumption	250 W
Rated power consumption	50 W
Dimensions (machine)	21.5 x 14.2 x 10.9 in
Temperature adjustment range	122 - 302°F
Operating Temperature	212 °F, 100 °C
Temperature Stabilization	microprocessor
Max cover width with the side stop	10.4 inches
Max cover width without the side stop	12 inches
<ul style="list-style-type: none"> • Electronic operating panel • O-Foil cutter • Drawer to store all accessories • O-Container to store fonts 	




The Goldpress 4 is a compact and easy to use hot stamping machine.

Recommended for embossing custom photo book covers, such as the HD Mini Photo Book.



The HD Mini Photo Book



Express Imaging Systems, LLC
624 Rainier Ave South
Seattle, WA 98144
phone: 206-720-1798 x 115
sales@express-imaging.com



The PhotoIntel Group
The Old Rectory
Glenfield Business Centre
Main Street
Glenfield, Leicester
UK, LE3 8DG
phone: 44 116 2325169
sales@photointelgroup.com

The specifications, information and the appearance of the Goldpress are subject to change without notice. All trademarks are the property of their respective owners.

www.express-imaging.com



v 03/09

Goldpress 4

hot stamping machine

Goldpress 4 Specifications

Voltage	110-120V 50-60 Hz
Max. power consumption	250 W
Rated power consumption	50 W
Dimensions (machine)	21.5 x 14.2 x 10.9 in
Temperature adjustment range	122 - 302°F
Operating Temperature	212 °F, 100 °C
Temperature Stabilization	microprocessor
Max cover width with the side stop	10.4 inches
Max cover width without the side stop	12 inches
<ul style="list-style-type: none"> • Electronic operating panel • O-Foil cutter • Drawer to store all accessories • O-Container to store fonts 	




The Goldpress 4 is a compact and easy to use hot stamping machine.

Recommended for embossing custom photo book covers, such as the HD Mini Photo Book.



The HD Mini Photo Book



Express Imaging Systems, LLC
624 Rainier Ave South
Seattle, WA 98144
phone: 206-720-1798 x 115
sales@express-imaging.com



The PhotoIntel Group
The Old Rectory
Glenfield Business Centre
Main Street
Glenfield, Leicester
UK, LE3 8DG
phone: 44 116 2325169
sales@photointelgroup.com

The specifications, information and the appearance of the Goldpress are subject to change without notice. All trademarks are the property of their respective owners.

www.express-imaging.com



v 03/09